



**AIZAWL MUNICIPAL CORPORATION**  
**Thuampui, Aizawl - 796017 : Mizoram**

Ph: 0389-2352090 Email: amcmizoram@gmail.com Website: www.amcmizoram.com



Dated Aizawl, the 16<sup>th</sup> Feb., 2024

**NOTIFICATION**

In the interest of public services and on the recommendation of the Aizawl Municipal Corporation (AMC), 49<sup>th</sup> GRB Meeting held on 30<sup>th</sup> Jan., 2024, the following points have been notified with immediate effect and until further orders.


1. For stability analysis, engineering drawing such as site plan, sectional drawing(view), building storey, etc. with all dimensions should be provided.
2. For the purpose of reviewing the application in addition to the SD & SM regulations, the pertinent Bureau of Indian Standards should be utilized.
3. Core drilling is mandatory for special structures larger than 500 Sqm. GRB will have the authority to made exemption in special case
4. Any excavation of earth for any kind of construction activity should be made by adopting 'Benching Method' wherein 'Bench Height' and 'Floor/Bench width' should be made as per MMR-1961.
5. Depending upon porosity, depth of groundwater type of soil grains, ratio of shear strength and shear stress, dip of slope, existence of discontinuity, cracks, fracture, cohesiveness, dip of potential failure plane, etc. angle of repose should be maintained.



Sd/- Er. LALHRIATPUIA  
**Municipal Commissioner**  
Aizawl Municipal Corporation

Memo No.D.24015/204/2022-AMC(SD&SM) : Dated Aizawl, the 16<sup>th</sup> Feb., 2024

- Copy to:-
- 1) PA to Mayor/Dy. Mayor/Exe. Councillors, AMC for kind information
  - 2) PA to Municipal Commissioner/Jt. Commissioner, AMC for information
  - 3) All Officers & Staff, Building & SD & SM Section, AMC for information.
  - 4) IT Cell, AMC for publication in the office website.
  - 5) Office copy

  
**Municipal Commissioner**  
Aizawl Municipal Corporation